Journal of Neuroscience Methods, 40 (1991) 243–244

© 1991 Elsevier Science Publishers B.V. All rights reserved 0165-0270/91/$03.50

Author Index (Vol. 40)

Adron Harris, R., see Leidenheimer, N.J., (40) 233
Albin, R.L., see Bazzett, T.J., (40) 1
Aleszczyk, C.M., see May, B.J., (40) 155
Alsasua, A., see Zorad, S., (40) 63
Arvidsson, U., see Ulfhake, B., (40) 39
Ashburner, J., see Rajeswaran, S., (40) 223

Bailey, D.L., see Rajeswaran, S., (40) 223
Barnes, C.D., see Kisaalita, W.S., (40) 113
Bazzett, T.J., Becker, J.B. and Albin, R.L.
A novel device for chronic intracranial drug delivery via microdialysis, (40) 1
Becker, J.B., see Bazzett, T.J., (40) 1
Bowen, D.M., see Pangalos, M.N., (40) 17

Camp, D.M., see Robinson, T.E., (40) 211
Carlsson, K., see Ulfhake, B., (40) 39
Chung, S.H. and Kennedy, R.A.
Forward-backward non-linear filtering technique for extracting small biological signals from noise, (40) 71
Coggeshall, R.E.
Verification of the Devor et al. (1985) method of determining neural numbers, (40) 87
Cohen, I.S., see Datyner, N.B., (40) 49
Cremer, J.E., see Rajeswaran, S., (40) 223

Datyner, N.B. and Cohen, I.S.
Cooling/heating module for tissue chambers and solutions: theoretical considerations and practical design, (40) 49

Francis, P.T., see Pangalos, M.N., (40) 17
Fujita, S., see Fukuyama, R., (40) 133
Fukuyama, R., Fushiki, S. and Fujita, S.
Purification of glial fibrillary acidic protein (GFAP) from normal bovine brain, (40) 133
Fung, S.J., see Kisaalita, W.S., (40) 113
Fushiki, S., see Fukuyama, R., (40) 133

Hanitzsch, R., see Mättig, W.-U., (40) 127
Harrison, L.M., Ironton, R. and Stephens, J.A.
Cross-correlation analysis of multi-unit EMG recordings in man, (40) 171
Helm, P.J., see Ulfhake, B., (40) 39
Hentall, I.D.
Coincident recording and stimulation of single and multiple neuronal activity with one extracellular microelectrode, (40) 181
Hume, S.P., see Rajeswaran, S., (40) 223

Ironton, R., see Harrison, L.M., (40) 171

Jaw, F.-S., Yu, S.-N., Lee, J.-C., Tsao, H.-W., Yu, H.J. and Yen, C.-T.
Interactive program for spectral and area analysis of compound action potentials of A-fiber and C-fiber, (40) 121
Jellema, T. and Weijnen, J.A.W.M.
A slim needle-shaped multiwire microelectrode for intracerebral recording , (40) 203
Jensen, R.J.
Intracellular recording of light responses from visually identified ganglion cells in the rabbit retina, (40) 101
Jones, A.K.P., see Rajeswaran, S., (40) 223
Jones, T., see Rajeswaran, S., (40) 223
Justice, Jr., J.B., see Parsons, L.H., (40) 139

Kaluzny, P., Tarnecki, R. and Zmyslowski, W.
Multiple spike-train analysis using mutual interval matrix, (40) 149
Kennedy, R.A., see Chung, S.H., (40) 71
Kilbourne, E.J., McMahon, A. and Sabban, E.L.
Membrane depolarization by isotonic or hypertonic KCL: differential effects on mRNA levels of tyrosine hydroxylase and dopamine β-hydroxylase mRNA in PC12 cells, (40) 193
Kisaalita, W.S., Skeen, R.S., Van Wie, B.J., Barnes, C.D. and Fung, S.J.
Optimization of glass microelectrode properties by response surface methodology, (40) 113
Klingberg, D., see Madhavan, P.G., (40) 91
Kolb, J., see Scheller, D., (40) 31
Kuhar, M.J., see Vaughan, R.A., (40) 9

Lee, J.-C., see Jaw, F.-S., (40) 121
Leidenheimer, N.J. and Adron Harris, R.
A transient osmotic permeabilization method for the introduction of impermeant molecules into functional brain membrane vesicles, (40) 233
Lew, R., see Vaughan, R.A., (40) 9
Luthra, S.K., see Rajeswaran, S., (40) 223

Madhavan, P.G., Stephens, B.E., Klingberg, D. and Morzorati, S.
Analysis of rat EEG using autoregressive power spectra, (40) 91
Mättig, W.-U. and Hanitzsch, R.
Measurements of the extracellular potassium concentrations in the isolated rabbit retina with different kinds of potassium-sensitive microelectrodes, (40) 127

May, B.J., Aleszczyk, C.M. and Sachs, M.B.
Single-unit recording in the ventral cochlear nucleus of behaving cats, (40) 155
McMahon, A., see Kilbourne, E.J., (40) 193
Middlemiss, D.N., see Pangalos, M.N., (40) 17
Morzorati, S., see Madhavan, P.G., (40) 91
Mossberg, K., see Ulfhake, B., (40) 39

Pangalos, M.N., Francis, P.T., Pearson, R.C.A., Middlemiss, D.N. and Bowen, D.M.
Destruction of a sub-population of cortical neurones by suicide transport of volkensin, a lectin from *Adenia volkensii*, (40) 17
Parsons, L.H., Smith, A.D. and Justice, Jr., J.B.
The in vivo microdialysis recovery of dopamine is altered independently of basal level by 6-hydroxydopamine lesions to the nucleus accumbens, (40) 139
Pearson, R.C.A., see Pangalos, M.N., (40) 17

Rajeswaran, S., Hume, S.P., Cremer, J.E., Young, J., Bailey, D.L., Ashburner, J., Luthra, S.K., Jones, A.K.P. and Jones, T.
Dynamic monitoring of [^{11}C]diprenorphine in rat brain using a prototype positron imaging device, (40) 223
Robinson, T.E. and Camp, D.M.
The effects of four days of continuous striatal microdialysis on indices of dopamine and serotonin neurotransmission in rats, (40) 211

Saavedra, J.M., see Zorad, S., (40) 63
Sabban, E.L., see Kilbourne, E.J., (40) 193
Sachs, M.B., see May, B.J., (40) 155
Scheller, D. and Kolb, J.
The internal reference technique in microdialysis: a practical approach to monitoring dialysis efficiency and to calculating tissue concentration from dialysate samples, (40) 31
Simantov, R., see Vaughan, R.A., (40) 9
Skeen, R.S., see Kisaalita, W.S., (40) 113
Smith, A.D., see Parsons, L.H., (40) 139
Stephens, B.E., see Madhavan, P.G., (40) 91
Stephens, J.A., see Harrison, L.M., (40) 171

Tarnecki, R., see Kaluzny, P., (40) 149
Tsao, H.-W., see Jaw, F.-S., (40) 121

Ulfhake, B., Carlsson, K., Mossberg, K., Arvidsson, U. and Helm, P.J.
Imaging of fluorescent neurons labelled with fluoro-gold and fluorescent axon terminals labelled with AMCA (7-amino-4-methylcoumarine-3-acetic acid) conjugated antiserum using a UV-laser confocal scanning microscope, (40) 39

Van Wie, B.J., see Kisaalita, W.S., (40) 113
Vaughan, R.A., Simantov, R., Lew, R. and Kuhar, M.J.
A rapid binding assay for solubilized dopamine transporters using [^{3}H]WIN 35,428, (40) 9

Weijnen, J.A.W.M., see Jellema, T., (40) 203

Yen, C.-T., see Jaw, F.-S., (40) 121
Young, J., see Rajeswaran, S., (40) 223
Yu, H.J., see Jaw, F.-S., (40) 121
Yu, S.-N., see Jaw, F.-S., (40) 121

Zmyslowski, W., see Kaluzny, P., (40) 149
Zorad, S., Alsasua, A. and Saavedra, J.M.
A modified quantitative autoradiographic assay for atrial natriuretic peptide receptors in rat brain, (40) 63

Journal of Neuroscience Methods, 40 (1991) 245–246
© 1991 Elsevier Science Publishers B.V. All rights reserved 0165-0270/91/$03.50

Key Word Index (Vol. 40)

Acridine orange, (40) 101
A-fiber, (40) 121
Alzheimer's disease, (40) 17
Amphetamine, (40) 211
Atrial matriuretic peptide, (40) 63
Autoradiography, (40) 63

Behaving cats, (40) 155
Bovine brain, (40) 133
Brain extracellular lactate concentration, (40) 31
Brain membrane vesicles, (40) 233

Caudate nucleus, (40) 211
[^{11}C]diprenorphine, (40) 223
Cerebral ischaemia, (40) 31
C-fiber, (40) 121
Chronic intracranial infusion, (40) 1
Cocaine, (40) 211
Cocaine receptor, (40) 9
Cochlear nucleus, (40) 155
Compound action potentials, (40) 121
Confocal microscopy, (40) 39
Cooling, (40) 49
Corning electrodes, (40) 127
Cross-correlation analysis, (40) 171
Current source density analysis, (40) 203

Dialysis, (40) 211
Dog caudate nucleus, (40) 9
Dopamine, (40) 139; (40) 193
Dopamine β-hydroxylase, (40) 193
Dorsal root ganglion cells, (40) 87
Dynamic range, (40) 155

Electrophysiological recording, (40) 203
Electroretinogram, (40) 127
EMG, (40) 171
Experimental factorial design, (40) 113
Extracellular recording, (40) 181

Field potentials, (40) 203
Fluorescence, (40) 39

$GABA_A$ receptor, (40) 233
Ganglion cell, (40) 101
Glass microelectrode, (40) 113
Glial fibrillary acidic protein, (40) 133
Glutamic acid decarboxylase, (40) 17

Heating, (40) 49
Heat pipe, (40) 49
Heat pump, (40) 49
[^{3}H]-8-hydroxy-2-(*n*-dipropylamino) tetralin, (40) 17
6-Hydroxydopamine, (40) 139

Immunohistochemistry, (40) 39
in situ hybridization, (40) 17
Interactive program, (40) 121
Internal reference, (40) 31
Interspike interval vectors, (40) 149
Intracellular recording and stimulation, (40) 113

Membrane depolarization, (40) 193
Methods, (40) 211
Microdialysis, (40) 1; (40) 31; (40) 139
Micropipette puller, (40) 113
Microsacs, (40) 233
Multichannel microelectrode, (40) 203
Multiple/simultaneous spike-train analysis, (40) 149
Multiwire electrode, (40) 203

Neural circuitries, (40) 39
Neural degeneration, (40) 1
Neuronal counts, (40) 87
Norepinephrine, (40) 193
Nucleus accumbens, (40) 139

Olivocochlear efferents, (40) 155
Osmotic minipump, (40) 1

PC12 cells, (40) 193
Peltier, (40) 49
Permeabilization, (40) 233
Phosphorylation, (40) 233
Positron emission tomography, (40) 223
Potassium, (40) 127
Power spectrum, FFT, auto regressive method, (40) 91
Proteinase inhibitors, (40) 63
Pyramidal neurones, (40) 17
Pyranine, (40) 101

Quantification, (40) 31
Quinolinic acid, (40) 1

Rabbit, (40) 101
Rabbit retina, (40) 127
Radioligands, (40) 223

Rat, (40) 39
Rat brain, (40) 63
Rat EEG, alcohol preferring, alcohol non-preferring, (40) 91
Recovery, (40) 139
Relative loss, (40) 31
Relative recovery, (40) 31
Retina, (40) 101
Retrograde labelling, (40) 39

Selective destruction, (40) 17
Single neurons, (40) 181
Single-unit recording, (40) 155
Singular-values decomposition, (40) 149
Small Animal, (40) 223
Somatosensory cortex, (40) 203
Spectral analysis, (40) 121
Spinal cord, (40) 39
Stereology, (40) 87
Stimulation method, (40) 181
Striatum, (40) 1
Suicide transport, (40) 17
Surface response methodology, (40) 113

Temperature control, (40) 49
Tyrosine hydroxylase, (40) 193

UV, (40) 39

Valinomycin electrodes, (40) 127
Vimentin, (40) 133
Volkensin, (40) 17

Western blotting, (40) 133